

**RECEIVED
CENTRAL FAX CENTER**

JAN 17 2005

Atty. Docket No. 86697KNM
Customer No. 01333**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re Application of

Group Art Unit: 1774

David G. Foster et al

Examiner: HESS, Bruce

**SLIPPING LAYER FOR DYE-DONOR
ELEMENT USED IN THERMAL DYE
TRANSFER**I hereby certify that this correspondence is being transmitted via
facsimile: Commissioners for Patents, P.O. Box 1450
Alexandria, VA 22313-1450

Serial No. 10/614,379

Name: Carol A. Kukurudza

Filed: July 7, 2003

Date January 17 2005Application Processing Division
Customer Correction Branch
Commissioners for Patents
P.O. Box 1450
Alexandria, VA 22313-1450


Sir:

RESPONSE TO NOTICE ON NON-COMPLIANT AMENDMENT

In response to the notice mailed January 4, 2004, Applicants resubmit the Amendments to the Claims as attached hereto. It is believed the submission is in compliance with the rules. Entry and consideration of the preliminary amendment filed December 22, 2004, with the attached claims, is thus respectfully solicited.

Should the Examiner require anything further, or have any questions, he may contact Applicant's representative at the number listed below.

Respectfully submitted,


Kathleen Neuner Marne
Attorney for Applicants
Registration No. 40,101

Attachment: Amendments to the Claims

KNM:cak

Phone: (585) 722-9225

Fax: (585) 477-1148

If the Examiner is unable to reach the Applicant(s) Attorney at the telephone number provided, the Examiner is requested to communicate with Eastman Kodak Company Patent Operations at (585) 477-4656.